



niebling
Technische Bürsten GmbH

C A T A L O G U E

Cleaning Brushes + Systems



HACCP Applications



Wet cleaning



Dry cleaning



Shadowboard 5S



MEETS HACCP, IFS AND FDA

niebling.com



TABLE OF CONTENTS

CLEANING BRUSHES AND SYSTEMS

Scrubbers and brooms for handles	Page 3
Floor scrapers, wet cleaning tools and tube brushes for handles	Page 4
Mop systems	Page 10
Squeegees and pullers for handles	Page 16
Six-safe-handles and spare parts for handles	Page 19
Resin programme	Page 22
Hand brushes and handle brushes	Page 25
Alkali resistant brushes	Page 27
Heat resistant brushes up to 200 °C / 250 °C	Page 32
Sealing jaws and wire brushes	Page 34
Hand brushes and food brushes	Page 35
Glassware brushes	Page 38
Tube brushes	Page 42
Scrapers, spatulas, hammers and pads	Page 44
Shovels and buckets	Page 47
Holder and storage systems	Page 51
Spray guns, hoses, accessories and cleaning cloths	Page 56
A-Line – Antibacterial pens	Page 58
	Page 62

TECHNICAL BRUSHES (Examples)	Page 60
-------------------------------------	---------

TRADITIONAL BRUSH PROGRAM

Barrel and tank brushes, barrel and tank scrubbers	Page 62
Scrubbers and wire scrubbers, hand, wire and handle brushes	Page 63
Handle brushes	Page 64
Pipeline, filter frame brushes and sponge rubber balls	Page 66
Pipeline, hose and nozzle brushes	Page 67
Hole, cup and handle brushes	Page 68
Laboratory and bottle brushes	Page 69
Imhoff funnel, glass and jug brushes	Page 70
Scrubbers, brooms and hand brooms, brooms and handles	Page 71
car wash brushes	Page 72

MACHINE BRUSHES

Labelling and other machine brushes	Page 73
-------------------------------------	---------

TECHNOLOGY

Technical information on hygiene regulations	Page 74
Bristle materials	Page 74
Maintenance and storage of working equipment	Page 75
Material science to traditional brushes program	Page 75



The catalogue „Technical Brushes“ gives an overview of Niebling's large technical brushes range.

Order now!

Phone +49 (0) 9843 9894-0
sales@niebling.com

NEWS & NEW PRODUCTS:
Our program is constantly being expanded. Check out:
www.niebling.com

NIEBLING CLEANING BRUSHES AND SYSTEMS

Niebling's programme „Cleaning Brushes + Systems“ meets the requirements of IFS (International Featured Standard), BRC Global and the HACCP concept (Hazard Analysis and Critical Control Points) as well as EU Regulations 10/2011 and EG 1935/2004, RL2002/72/EG and the Charter of the European Association of Brush Manufacturers for professional hygiene brush goods. All raw materials are food-approved according to the latest EC-/EU-guidelines for products that come into contact with food. In addition, we use only raw materials that correspond with the U.S. Food and Drug Administration (FDA). All items marked in our catalogue correspond with the set of regulations „PHB Charter“ of the European Association of Brush Manufacturers (FEIBP), which was developed specifically for manufacturers of hygiene brushes.



ALIGNMENT IN ACCORDANCE WITH HACCP/IFS:

Through our products and ordering systems you will get the opportunity to align your operations more easily according to the HACCP risk analysis-concept in order to simplify IFS certification.

BRUSH BODIES:

The brush bodies are made of closed-pore Polypropylene (PP). This guarantees a perfect fit of the bristle bundles. Smooth and dirt-repellent surfaces without angles and edges prevent microorganisms from accumulating.

SECURE HANDLE CONNECTION :

Our 6-edge plug-in system (SixSafe) with union nut and screw thread makes for a very tight and secure connection between the handle and the top.

FILAMENTS/BRISTLE MATERIAL:

Both PBT polyester and Polypropylene PP are suitable for all common cleaning agents. The bristles do not absorb moisture and retain their original stiffness in hot water. The bristle bundles anchor with stainless steel wire. This guarantees a life-long perfect support of the bristles.












RISK PREVENTION WITH COLOR CODING:

















Our product range comes in up to ten colors. Color coding is used to subdivide the individual product fields by color. This promotes the exact allocation of a cleaning tool to a defined stage of production, thus preventing potential cross-contamination, which would happen if they were used "outside of their color".

Possible subdivision forms include:

- Each department in the company gets its own color (spatial separation)
- Each contact surface, such as the floor, machine, wall, etc., receives a color (separation according to cleaning zones)
- A different color is defined for each product (product-specific separation)


ZEICHENERKLÄRUNG:

-  „PHB“ compliant
-  Slotted bristles
-  Frost-resistant (e.g. up to -30° Celsius)
-  Heat resistant bristles (approximately)
-  SixSafe handle connection
-  Water flow
-  Resin
-  Antibacterial
-  Packaging unit (e. g. 6 per box)
-  Bristle length (e.g. 100 mm length of bristle area)
-  Bristle height (e.g. 30 mm from the brush body)

-  = White (W)
-  = Blue (B)
-  = Red (R)
-  = Yellow (Y)
-  = Green (G)
-  = Black (S)
-  = Orange (O)
-  = Violet (V)
-  = Grey (Gr)
-  = Brown (Br)
-  = Pink (P)
-  Very soft
-  Soft
-  Medium-hard
-  Hard
-  Very hard




Please specify colors while ordering
e.g. 8015016-**R** (for red)





































POSSIBLE COLOR DISTRIBUTION OF BRUSHES, FOR EXAMPLE IN A KITCHEN:



Scrubbers and brooms for handles



		ex-stock	delivery time on request
	HALL SCRUBBER medium-hard 8015000-(Color) approx. 225 x 60 mm Polyester PBT 0,50 8015001-(Color) approx. 280 x 50 mm Polyester PBT 0,50 8015002-(Color) approx. 400 x 50 mm Polyester PBT 0,50 	   	   
	FLOOR SCRUBBER hard 8043153-(Color) approx. 300 x 60 mm Polyester PBT 0,50 	   	   
	hard, Water flow 8044153-(Color) approx. 300 x 60 mm Polyester PBT 0,50 	  	  
	TUB SCRUBBER hard 8040154-(Color) approx. 285 x 130 mm Polyester PBT 0,50 	  	  
	hard, Water flow 8049154-(Color) approx. 385 x 130 mm Polyester PBT 0,50 	 	 

		ex-stock	delivery time on request
	ALL-PURPOSE SCRUBBER medium-hard 8040155-(Color) approx. 290 x 140 mm Polyester PBT 0,50		
	    		
	TANK SCRUBBER soft, slotted bristles 8015024-(Color) approx. 220 x 140 mm Polyester PBT 0,30		
	   		
	medium-hard 8015025-(Color) approx. 200 x 120 mm Polyester PBT 0,30		
	    		
	hard 8015026-(Color) approx. 200 x 120 mm Polyester PBT 0,50		
	    		



Niebling product information

Devolped for cleaning containers, especially corners and edges.



		ex-stock	delivery time on request
	FINE DUST BROOM extra soft		
	8041126-(Color) approx. 400 x 50 mm Polyester PBT 0,20		
	DUST BROOM soft, slotted bristles		
	8015003-(Color) approx. 280 x 50 mm Polyester PBT 0,30		
	8015004-(Color) approx. 400 x 50 mm Polyester PBT 0,30		
	8015020-(Color) approx. 500 x 60 mm Polyester PBT 0,30		
	8047106-(Color) approx. 600 x 60 mm Polyester PBT 0,30		
	DUST BROOM – PP very soft, slotted bristles		
	8015005-(Color) approx. 280 x 50 mm Polypropylene PP 0,25		
	8015006-(Color) approx. 400 x 50 mm Polypropylene PP 0,25		
	8015022-(Color) approx. 500 x 60 mm Polypropylene PP 0,25		
	FINE BROOM soft		
	8015203-(Color) approx. 280 x 50 mm Polyester PBT 0,30		
	8015204-(Color) approx. 400 x 50 mm Polyester PBT 0,30		
	8015220-(Color) approx. 500 x 60 mm Polyester PBT 0,30		
	8047136-(Color) approx. 600 x 60 mm Polyester PBT 0,30		
	FINE BROOM soft, extra breit, beveled bristles		
	8520030-(Color) approx. 800 x 60 mm Polyester PBT 0,30		
	8520040-(Color) approx. 1000 x 60 mm Polyester PBT 0,30		
	8520045-(Color) approx. 1200 x 60 mm Polyester PBT 0,30		

		ex-stock	delivery time on request
	FINE BROOM – PP extra soft 8015206-(Color) approx. 400 x 50 mm Polypropylene PP 0,25	 	 
			
	HALL BROOM medium-hard 8015012-(Color) approx. 225 x 60 mm Polyester PBT 0,50	 	 
	8015023-(Color) approx. 300 x 60 mm Polyester PBT 0,50		
	8015009-(Color) approx. 400 x 60 mm Polyester PBT 0,50		
	8015021-(Color) approx. 500 x 60 mm Polyester PBT 0,50		
	8047156-(Color) approx. 600 x 60 mm Polyester PBT 0,50		
			
	HALL BROOM medium-hard, extra wide, beveled bristles 8520050-(Color) approx. 800 x 60 mm Polyester PBT 0,50	 	 
	8520060-(Color) approx. 1000 x 60 mm Polyester PBT 0,50		
	8520055-(Color) approx. 1200 x 60 mm Polyester PBT 0,50		
			
	STREET BROOM hard, long bristles 8015007-(Color) approx. 300 x 60 mm Polyester PBT 1,00	 	 
	8015008-(Color) approx. 400 x 60 mm Polyester PBT 1,00		
	8015010-(Color) approx. 500 x 60 mm Polyester PBT 1,00		
			
	STREET BROOM extra hard 8043197-(Color) approx. 300 x 60 mm Polyester PBT 1,00	 	 
	8045197-(Color) approx. 400 x 60 mm Polyester PBT 1,00		
	8047197-(Color) approx. 600 x 60 mm Polyester PBT 1,00		
			



		ex-stock	delivery time on request
	COMBINATION BROOM hard, 2-in-1-bristles		
	8041176-(Color) approx. 400 x 50 mm Polyester PBT 0,70 / 0,30		
	8047176-(Color) approx. 600 x 60 mm Polyester PBT 0,70 / 0,30		
	BROOM NARROW medium-hard, long bristles		
	8040157-(Color) approx. 260 x 35 mm Polyester PBT 0,50		
	hard, long bristles		
	8040190-(Color) approx. 260 x 35 mm Polyester PBT 1,00		
	hard, angle cut		
	8521000-(Color) approx. 300 x 35 mm Polyester PBT 1,00		
	OVEN-BROOM medium-hard, angled		
	8520157-(Color) approx. 220 x 90 mm Polyester PBT 0,50		
	soft, angled		
	8522203-(Color) approx. 220 x 90 mm Fibre		
	Please note: Fibre bristles do not comply with IFS regulations.		
	CORNER BROOM 45° medium-hard, angled		
	8520500-(Color) approx. 220 x 100 mm Polyester PBT 0,50		

		ex-stock	delivery time on request
	HOUSE-BROOM extra soft 8520010-(Color) approx. 300 x 50 mm Polyester PBT 0,30		
	soft 8520020-(Color) approx. 300 x 50 mm Polyester PBT 0,50		
	HOUSE-BROOM extra soft, wide 8045147-(Color) approx. 400 x 50 mm Polyester PBT 0,30		
	soft, wide 8045157-(Color) approx. 400 x 50 mm Polyester PBT 0,50		



Niebling product information

Slotted bristles are spliced up 20-30 times at the ends.


These brooms are perfectly fitting for use with water, cleaning soaps etc.












































These brooms are **NOT FITTING** for use in e.g. bakeries or fine dust in general.



All available data sheets and product certificates for download on:
<https://webshop.niebling.com>

Floor scrapers, wet cleaning tools and tube brushes for handles



		ex-stock	delivery time on request
	FLOOR SCRAPER extra hard 8048281-(Color) approx. 280 x 140 mm, stainless steel blade 1,50 mm     		
	    		
	FLOOR SCRAPER medium-hard 8131100-(Color) approx. 280 x 140 mm, stainless steel blade 1,50 mm     		
	    		
	SCRAPER FOR HANDLE soft 8141100-(Color) size of blade 270x110mm, PP     		
	    		

		ex-stock	delivery time on request
	VA- SPATULA FOR HANDLE hard		
	8130801-(Color) 150x80mm, 1mm VA 304		
	    		
	VA- SPATULA FOR HANDLE hard		
	8131200-(Color) 150x120mm, 1mm VA 304		
	    		
	VA- SPATULA FOR HANDLE medium-hard		
	8130800-(Color) 150x80mm, 0,5-1mm flex VA 304		
	    		
	VA- SPATULA FOR HANDLE medium-hard		
	8131201-(Color) 150x120mm, 0,5 - 1mm flex VA 304		
	    		

Niebling Product information

Standard handle grip



Ergonomic handle grip











































		ex-stock	delivery time on request
	PADDLE SCRAPER BLADE medium-hard 8151102-(Color) approx. 112 x 235 mm, Polypropylene, PPN 	 	
	PADDLE SCRAPER BLADE soft 8151101-W approx. 112 x 235 mm, polyethylen, PE 		
	STIRRERS With holes 8140010-(Color) approx. 125 x 290 x 1190 mm Polypropylene 	 	
	Without holes 8140020-(Color) approx. 125 x 290 x 1190 mm Polypropylene 	 	
	PADDLE WITH STAINLESS STEEL HANDLE With holes 8595140-(Color) approx. 125 x 290 x 1760 mm PP / stainless steel 	 	

Niebling Product information

With the new pad holder design the connection between holder and pad is substantially stronger and improves stability for cleaning in hard-to-reach areas and corners.


















		ex-stock	delivery time on request
	YEAST PUSHER made of closed-pore polypropylene		
	8590040-(Color) approx. 330 x 145 mm polypropylene blade 20 mm		
	8590041-(Color) approx. 500 x 145 mm polypropylene blade 20 mm		
			
	PADHOLDER FOR HANDLES folding system for optimal pad grip		
	8047101-(Color) approx.. 230 x 100 mm		
			
	CLEANING PADS		
	8015123 - white approx. 250 x 115 x 20 mm very soft – for cleaning and polishing sensitive surfaces, without abrasives		
	8015121 - beige approx. 250 x 115 x 20 mm soft – for gently cleaning surfaces made from plastic etc., without abrasives		
	8015126 - red approx. 250 x 115 x 20 mm medium-hard – for scrubbing tanks and sink areas, without abrasives		
	8015124 - blue approx. 250 x 115 x 20 mm medium-hard – for cleaning tiled areas, with abrasives		
	8015122 - green approx. 250 x 115 x 20 mm hard – for maintenance cleaning – e.g. wet scrubbing, with abrasives		
	8015127 - brown approx. 250 x 115 x 20 mm very hard – for dry or wet basic cleaning, with abrasives		
	8015125 - black approx. 250 x 115 x 20 mm very hard – for intensive basic cleaning, e.g. in case of excessive dirt, with abrasives		
			

		ex-stock	delivery time on request
	WASHING BROOM soft, slotted bristles 8015003-(Color) approx. 280 x 50 mm, Polyester PBT 0,30 	 	 
	soft, slotted bristles, water flow 8044106-(Color) approx. 300 x 50 mm, Polyester PBT 0,30 	 	 
	WASHING BRUSH soft, slotted bristles 8015011-(Color) approx. 225 x 60 mm, Polyester PBT 0,30 		 
	medium-hard 8015012-(Color) approx. 225 x 60 mm, Polyester PBT 0,50 		 
	TUB WASHING BRUSH soft, slotted bristles 8040105-(Color) approx. 290 x 130 mm, Polyester PBT 0,30 	 	
	soft, slotted bristles, Water flow 8049105-(Color) approx. 290 x 130 mm, Polyester PBT 0,30 		 
	WASHING BRUSH – CHAMBER SYSTEM soft, slotted bristles, with rubber edge and chambers, water comes out and flows around each bristle bundle 8044104-(Color) approx. 265 x 90 mm, Polyester PBT 0,30 	 	 
	soft, with rubber edge and chambers, water comes out and flows around each bristle bundle 8044144-(Color) approx. 265 x 90 mm, Polyester PBT 0,30 	 	 

	ex-stock	delivery time on request
	OUTER TUBE BROOMS extra soft 8047260-(Color) Polyester PBT 0,30 approx. Ø 100 mm, 340 x 600 mm 	 
	soft 8047250-(Color) Polyester PBT 0,30 approx. Ø 50 mm, 300 x 580 mm 	
	DRAIN-BRUSH FOR HANDLES hard 8530500-(Color) Polyester PBT 0,50 approx. Ø 60 mm, 150 x 390 mm 	 
	TUBE BRUSHES hard 8047121-(Color) approx. Ø 63 x 120 mm, Polyester PBT 0,20 8047131-(Color) approx. Ø 70 x 120 mm, Polyester PBT 0,30 8047132-(Color) approx. Ø 80 x 125 mm, Polyester PBT 0,30 8047133-(Color) approx. Ø 90 x 130 mm, Polyester PBT 0,30 8047152-(Color) approx. Ø 105 x 140 mm, Polyester PBT 0,50 8047153-(Color) approx. Ø 120 x 145 mm, Polyester PBT 0,50 	 
	Other diameters on request!	



Mop systems

	ex-stock	delivery time on request
	MOP HOLDER with magnetic, self-supporting clip system 	
	8535400-(Color) approx. 400 x 100 mm 	
	8535500-(Color) approx. 500 x 120 mm 	
	 <p>We recommend to use the ergonomic aluminum handle 8015032-(color) on page 22.</p>	
	MICROFIBRE MOP BASIC Materials: 100% microfibre white fur fabric – enhanced 	
	8536400 approx. 400 mm 	
	8536500 approx. 500 mm 	
	<p>The ideal microfibre mop for all smooth surfaces. Outstanding cleaning results for daily and routine use are guaranteed, whether used wet or dry.</p>	

		ex-stock	delivery time on request
	MICROFIBRE MOP PREMIUM Materials: 80% microfibre, 20% bristles (smooth), blue-white polyester strips		
	8536401 approx. 400 mm		
	8536501 approx. 500 mm		
	The ideal mop for industrial cleaning, clinics, retirement and nursing homes, public facilities and laundries.		
	COTTON MOP CLASSIC Materials: 50% fine cotton, 50% polyester		
	8536402 approx. 400 mm		
	8536502 approx. 500 mm		
	The ideal mop for industrial cleaning, clinics, retirement and nursing homes, public facilities and laundries.		
	MICROFIBRE MOP EXCELLENT Materials: 30% microfibre, 30% cotton, 10% rayonfibre, 30% polyester		
	8536403 approx. 400 mm		
	8536503 approx. 500 mm		
	A special hospital-grade hygienic mop for use in clinics, retirement and nursing homes and public facilities.		
	CHENILLE MOP OCTOPUS Professional mop with a soft and fine surface made of chenille, especially high water and dirt collection.		
	8536404 approx. 400 mm		
	8536504 approx. 500 mm		
	For all flat surfaces and for sensitive floors.		
	MICROFIBRE MOP SHARK Materials: 80% microfibre, 20% bristles (hard), blue-grey polyester strips		
	8536405 approx. 400 mm		
	8536505 approx. 500 mm		
	The ideal mop for industrial cleaning, clinics, retirement and nursing homes, public facilities and laundries.		

	ex-stock	delivery time on request
	WARNING SIGN WITH PRINT „Achtung Rutschgefahr“ 8150002-Y	 
	WARNING SIGN WITH PRINT Slipping hazard, language neutral symbol 8150003-Y	 



5S schattenwand shadowboard



























































Your Plus for cleanliness and organization!








The Niebling Shadowboard 5S storage system is individually layouted and produced to your need and purposes.

Simple, clear, sustainable.

For more Informationen visit:
www.schattenwand5s.de/en/

For personal consulting, please contact our team:
sales@niebling.com or +49 9843 9894-0

		ex-stock	delivery time on request
 <p>Find telescopic handles on page 24.</p>	BOTTLE AND HOSE FOR CONDENSED WATER bottle		
	8150500 1/2" connector, approx. 0,5 litre		
	 hose		
	8151500 1/2" connector, approx. 1500 mm, PVC		
	TWO-PIECE SQUEEGEES Standard color of the sponge rubber: black		
	8532401-(Color) approx. 400 mm		 
	8532501-(Color) approx. 500 mm		 
	8532601-(Color) approx. 600 mm		 
	TWO-PIECE SQUEEGEES Standard color of the sponge rubber: white		
	8015071-(Color) approx. 400 mm	 	 
	8015072-(Color) approx. 500 mm	 	 
	8015073-(Color) approx. 600 mm	 	 
	TWO-PIECE SQUEEGEES swivel joint, standard color of the sponge rubber: white		
	8048453-(Color) approx. 400 mm		 
	8048553-(Color) approx. 500 mm		 
	8048653-(Color) approx. 600 mm	 	 
	REPLACEMENT SPONGE RUBBER for two-piece squeegee		
	8015075-(Color) approx. 400 mm	 	
	8015076-(Color) approx. 500 mm	 	
	8015077-(Color) approx. 600 mm	 	
	8015078-(Color) approx. 700 mm	 	
			

	ex-stock	delivery time on request
  <p>HAND PULLER welded rubber lip, no gaps 8028243-(Color) approx. 300 mm</p> 	 	 



Niebling product information

Water and other liquids will be removed properly by pushing or pulling on sleek surfaces.

Niebling Group product portfolio!

Find the most recent catalogs and brochures: www.niebling.com



detect
by niebling.com

5S schattenwand
shadowboard



by niebling.com

Detectable products for the food industry, antistatic and conductable cleaning tools to avoid sparks, technical and industrial brushes custom made and more...

Niebling is your partner for brushes and occupational hygiene.

Inside thread system
available on request!



Six-safe-handles and spare parts for handles





















glass fibre

plastic

aluminum

	ex-stock	delivery time on request
ERGONOMIC HANDLES		
glass fibre		
8049713-(Color) approx. 1300 x Ø 32 mm		
8050301-(Color) approx. 1500 x Ø 32 mm		
8050311-(Color) approx. 1750 x Ø 32 mm		
plastic, one-piece		
8049903-(Color) approx. 1300 x Ø 32 mm		
8049904-(Color) approx. 1500 x Ø 32 mm		
8049905-(Color) approx. 1700 x Ø 32 mm		
aluminum		
8049812-(Color) approx. 650 x Ø 32 mm		
8049813-(Color) approx. 1300 x Ø 32 mm		
8050321-(Color) approx. 1500 x Ø 32 mm		
8050331-(Color) approx. 1750 x Ø 32 mm		

	ex-stock	delivery time on request
 <p>Aluminium Water flow</p> <p>glass fibre</p> <p>Aluminium</p>	ERGONOMIC HANDLES Aluminium, Water flow 8049824-(Color) approx. 1500 x Ø 32 mm 8049825-(Color) approx. 1750 x Ø 32 mm 	 
	HANDLES glass fibre 8015030-(Color) approx. 1500 x Ø 25 mm 8015031-(Color) approx. 1750 x Ø 25 mm 	 
	Aluminium 8540010-(Color) approx. 300 x Ø 25 mm 8049802-(Color) approx. 800 x Ø 25 mm 8049803-(Color) approx. 1300 x Ø 25 mm 8015032-(Color) approx. 1500 x Ø 25 mm 8015033-(Color) approx. 1750 x Ø 25 mm 	 
	SPARE PARTS FOR HANDLES 1 union nut for handles 8590010-(Color) 2 hexagonal bit for handles 8590013-B 	  
	ADAPTER FOR HANDLES 3 from 8-corner to 6-corner handle 8590100-W 4 from 6-corner to 8-corner handle 8590200-B 	  

Aluminium
Water flow

Aluminium

Glasfaser

ERGONOMIC TELESCOPIC HANDLES

Aluminium, Water flow

8049828-(Color)
approx. 1250 / 2000 x Ø 32 mm

8049826-(Color)
approx. 1700 / 2800 x Ø 32 mm



ex-stock

delivery time
on request



ERGONOMIC TELESCOPIC HANDLES

Aluminium

8049852-(Color)
approx. 1250 / 2000 x Ø 32 mm

8049856-(Color)
approx. 1750 / 3000 x Ø 32 mm



TELESCOPIC HANDLES

Glass fibre

8015034-B
approx. 1100 / 1900 x Ø 26 mm

8015037-B
approx. 1500 / 2800 x Ø 26 mm

8015045-B
approx. 2500 / 4800 x Ø 26 mm



TELESCOPIC HANDLES

① Glass fibre, extra strong, extra long

8049775
approx. 1600 / 5300 x Ø 34 mm

8049779
approx. 1900 / 9500 x Ø 46 mm



② Glass fibre, extra strong, extra long,
water flow

8544160
approx. 1600 / 5300 x Ø 34 mm,
1/2" connection

8544190
approx. 1900 / 9500 x Ø 46 mm,
1/2" connection



Please see page 19 for compatible
condensation squeegee, hose and bottle.

①

②



Resin product range

		ex-stock	delivery time on request
	FINE BROOM soft 5020301-(Color) approx. 400 x 50 mm Polyester PBT 0,30      		 
	HOUSE BROOM soft 5020300-(Color) approx. 300 x 50 mm Polyester PBT 0,30      		 
	medium-hard 5020500-(Color) approx. 300 x 50 mm Polyester PBT 0,50      		 
	WASHING BRUSH FOR HANDLES soft 5050300-(Color) approx. 225 x 60 mm Polyester PBT 0,30      		 
	medium-hard 5050500-(Color) approx. 225 x 60 mm Polyester PBT 0,50      		 




		ex-stock	delivery time on request
	HANDLE BRUSH WIDE medium-hard		6
	5053030-(Color) approx. 275 x 70 mm Polyester PBT 0,30		
			6
	hard 5053050-(Color) approx. 275 x 70 mm Polyester PBT 0,50		
	WASHING BRUSH medium-hard	12	12
	5060500-(Color) approx. 210 x 70 mm Polyester PBT 0,50		
	HAND BRUSH medium-hard	10	10
	5051030-(Color) approx. 340 x 35 mm Polyester PBT 0,30		
	hard 5051050-(Color) approx. 340 x 35 mm Polyester PBT 0,50	10	10
	HAND BRUSH XL medium-hard		10
	5052030-(Color) approx. 410 x 55 mm Polyester PBT 0,30		
	hard 5052050-(Color) approx. 410 x 55 mm Polyester PBT 0,50		10

Extra safety by Resin!



Niebling's Resin range is a selection of articles with bristles set in flexible resin compound, made with a unique technique in custom made brush bodies.



























Bristle bundles are secured with both stainless steel staples and resin which is floated into and around each bundle for extra bristle retention.



















Hand brushes and handle brushes

















































	ex-stock	delivery time on request
HAND BRUSH extra soft 8010254-(Color) approx. 340 x 35 mm Polyester PBT 0,20     	 10	
soft, slotted bristles 8010253-(Color) approx. 340 x 35 mm Polyester PBT 0,30     	 10	
medium-hard 8010252-(Color) approx. 340 x 35 mm Polyester PBT 0,30     	 10	 10
hard 8010255-(Color) approx. 340 x 35 mm Polyester PBT 0,50     	 10	 10

































COMBINED HAND BRUSH 2-in-1 bristles 8010256-(Color) approx. 340 x 35 mm Polyester PBT 0,20 / 0,50     	 10	 10
XL, 2-in-1 bristles 8010234-(Color) approx. 410 x 55 mm Polyester PBT 0,20 / 0,50     	 10	 10

		ex-stock	delivery time on request
	HAND BRUSH XL extra soft 8051126-(Color) approx. 410 x 55 mm Polyester PBT 0,20   I 60  130 	 10 	 10
	soft, slotted bristles  10 8010231-(Color) approx. 410 x 55 mm Polyester PBT 0,30   I 50  130 		 10
	medium-hard 8010232-(Color) approx. 410 x 55 mm Polyester PBT 0,30   I 50  130 	 10 	 10
	hard 8010233-(Color) approx. 410 x 55 mm Polyester PBT 0,50   I 50  130 	 10 	
	HANDLE BRUSH SMALL soft, slotted bristles 8010202-(Color) approx. 270 x 47 mm Polyester PBT 0,30   I 30  130 	 12 	
	medium-hard 8010201-(Color) approx. 270 x 47 mm Polyester PBT 0,30   I 30  130 	 12 	
	hard 8010203-(Color) approx. 270 x 47 mm Polyester PBT 0,50   I 30  130 	 12 	
	HANDLE BRUSH soft 8010543-(Color) approx. 310 x 55 mm Polyester PBT 0,30   I 30  130 	 12 	

		ex-stock	delivery time on request
	HANDLE BRUSH WIDE soft, slotted bristles 8010547-(Color) approx. 275 x 70 mm Polyester PBT 0,30		
	  		
	medium-hard 8010546-(Color) approx. 275 x 70 mm Polyester PBT 0,30		
	   		
	hard 8010548-(Color) approx. 275 x 70 mm Polyester PBT 0,50		
	HANDLE BRUSH WIDE with rubberized handle and edge, soft, slotted bristles 8050104-(Color) approx. 270 x 70 mm Polyester PBT 0,30		
	  		
	with rubberized handle and edge, medium-hard 8050144-(Color) approx. 270 x 70 mm Polyester PBT 0,30		
	   		
	with rubberized handle and edge, hard 8050154-(Color) approx. 270 x 70 mm Polyester PBT 0,50		
	HANDLE BRUSH WIDE soft, with chambers, water comes out and flows around each bristle bundle 8051104-(Color) approx. 270 x 70 mm Polyester PBT 0,30		
	   		
	hard, with chambers, water comes out and flows around each bristle bundle 8051154-(Color) approx. 270 x 70 mm Polyester PBT 0,50		
	   		






















		ex-stock	delivery time on request
 NITO connector	HANDLE BRUSH WIDE soft, slotted bristles, with chambers, water comes out and flows around each bristle bundle 8052104-(Color) approx. 300 x 70 mm Polyester PBT 0,30 		
	medium-hard, with chambers, water comes out and flows around each bristle bundle 8052144-(Color) approx. 300 x 70 mm Polyester PBT 0,30 	 	
	hard, with chambers, water comes out and flows around each bristle bundle 8052154-(Color) approx. 300 x 70 mm Polyester PBT 0,50 	 	
	CURVED BRUSH FOR EDGE CLEANING WITH HOLE FOR HANGING medium-hard, Body: white 8010299-(Color) approx. 300 x 20 mm Polyester PBT 0,40 	 	
	HANDLE BRUSH WITH LONG HANDLE soft, slotted bristles 8010214-(Color) approx. 410 x 50 mm Polyester PBT 0,30 	 	
	medium-hard 8010213-(Color) approx. 410 x 50 mm Polyester PBT 0,30 	 	
	hard 8010215-(Color) approx. 410 x 50 mm Polyester PBT 0,50 	 	

		ex-stock	delivery time on request
	HANDLE BRUSH 2-in-1 bristles, extra-long handle		
	8019999 Nylon blue 0,55 / approx. 770 x 40 mm Nylon black 0,80		
	DISH WASHING BRUSH soft, slotted bristles, scraping edge		
	8010462-(Color) approx. 255 x 28 mm Polyester PBT 0,30		
	medium-hard, scraping edge		
	8010463-(Color) approx. 255 x 28 mm Polyester PBT 0,30		
	DISH WASHING BRUSH soft, slotted bristles		
	8010467-(Color) approx. 225 x 35 mm Polyester PBT 0,30		
	medium-hard		
	8010466-(Color) approx. 225 x 35 mm Polyester PBT 0,30		
	MACHINERY- / FISH BRUSH hard		
	8050153-(Color) approx. 275 x 20 mm Polyester PBT 0,50		
	KUTTER BRUSH medium-hard		
	8050155-(Color) approx. 510 x Ø 100 mm Polyester PBT 0,50		




Lye resistant brushes

		ex-stock	delivery time on request
	LYE RESISTANT HANDLE BRUSH hard, white bristles 8552050-(Color) approx. 410 x 55 mm PP 0,50		
	   		
	LYE RESISTANT HANDLE BRUSH 2-IN-1 hard, 2-in-1-bristles, white 8550245-(Color) approx. 410 x 55 mm PP 0,40/0,50 mm		
	    		
	LYE RESISTANT HANDLE BRUSH medium-hard, white bristles 8510213-(Color) approx. 410 x 50 mm PP 0,30		
	   		
	hard, white bristles 8510215-(Color) approx. 410 x 50 mm PP 0,50		
	   		

		ex-stock	delivery time on request
	LYE RESISTANT BRUSH WIDE hard, white bristles 8560501-(Color) approx. 275 x 70 mm PP 0,50	 	  
	   		
	LYE RESISTANT WASHING BRUSH hard, white bristles 8560500-(Color) approx. 210 x 70 mm PP 0,50	  	 
	   		

5 Shadowboard

Extra cleanliness and organization.



**Stainless steel hanger mounting system.
Best for use in hygienic sensible areas.**



Find an overview of
available hangers
on page 56.

Example layout of a Niebling Shadowboard 5S.
Find out more on: www.shadowboard5s.com

Heat resistant brushes up to 200 °C / 250 °C























		ex-stock	delivery time on request
	BRUSH WITH LONG HANDLE hard, synthetic bristles 8060215-(Color) approx. 410 x 50 mm PEEK 0,40    		 ⁶ 
	MACHINERY / FISH BRUSH hard, synthetic bristles 8060153-(Color) approx. 275 x 20 mm PEEK 0,40    		 ¹² 
	HAND BRUSH medium-hard, synthetic bristles 8060255-(Color) approx. 340 x 35 mm PEEK 0,40    		 ¹⁰ 
	medium-hard, synthetic bristles 8510252-(Color) approx. 340 x 35 mm PPS 0,40    		 ¹⁰ 

Sealing jaws and wire brushes

		ex-stock	delivery time on request
Stainless steel wire 	HANDLE BRUSH WITH WIRE hard, stainless steel wire		
	8015995 approx. 280 x 20 mm, 2-rowed V2A 0,30 rippled		
	8016002 approx. 280 x 35 mm, 4-rowed V2A 0,30 rippled		
	8015997 approx. 280 x 20 mm, 2-rowed V4A 0,25 rippled		
	8015999 approx. 280 x 30 mm, 4-rowed V4A 0,25 rippled		
Steel wire 	HANDLE BRUSH WITH WIRE extra hard, steel wire		
	8015994 approx. 280 x 20 mm, 2-rowed steel wire 0,30 smooth		
	8016000 approx. 280 x 35 mm, 4-rowed steel wire 0,30 smooth		
	8016003 approx. 280 x 35 mm, 5-rowed steel wire 0,30 smooth		
			
Brass wire 	HANDLE BRUSH WITH WIRE hard, brass wire		
	8015996 approx. 280 x 20 mm, 2-rowed brass 0,30 rippled		
	8015998 approx. 280 x 35 mm, 4-rowed brass 0,30 rippled		
	8016004 approx. 280 x 35 mm, 5-rowed brass 0,30 rippled		
			



		ex-stock	delivery time on request
	MACHINERY BRUSH hard		
	8050153-VA -(Color) approx. 275 x 20 mm stainless steel 0,20 rippled		
	8050153-ME-(Color) approx. 275 x 20 mm brass 0,30 rippled		
BRASS WIRE	SEALING JAW BRUSHES Brass wire 0,20 rippled Body PP		
	Height of bristles 5 mm		
	8550055 approx. 195 x 12 x 25 mm (body sizes)		
	8550052 approx. 395 x 12 x 25 mm (body sizes)		
	8551253 approx. 500 x 12 x 25 mm (body sizes)		
	8551401 approx. 700 x 12 x 25 mm (body sizes)		
	Height of bristles 10 mm		
	8550105 approx. 195 x 12 x 25 mm (body sizes)		
	8550102 approx. 395 x 12 x 25 mm (body sizes)		
	8551254 approx. 500 x 12 x 25 mm (body sizes)		
	8550402 approx. 700 x 12 x 25 mm (body sizes)		
	Height of bristles 15 mm		
	8550155 approx. 195 x 12 x 25 mm (body sizes)		
	8550152 approx. 395 x 12 x 25 mm (body sizes)		
	8551255 approx. 500 x 12 x 25 mm (body sizes)		
	8551406 approx. 700 x 12 x 25 mm (body sizes)		
BRONZE WIRE	SEALING JAW BRUSHES Bronze bristles 0,3 rippled Body PP		
	Height of bristles 10 mm		
	8550106 approx. 195 x 12 x 25 mm (body sizes)		
	8550103 approx. 395 x 12 x 25 mm (body sizes)		
	Height of bristles 15 mm		
	8550156 approx. 195 x 12 x 25 mm (body sizes)		
	8550153 approx. 395 x 12 x 25 mm (body sizes)		

		ex-stock	delivery time on request
STAINLESS STEEL WIRE 	SEALING JAW BRUSHES Stainless steel wire 0,20 rippled Body PP		
	Height of bristles 7 mm 8551054 approx. 195 x 12 x 25 mm (body sizes)		
	8551051 approx. 395 x 12 x 25 mm (body sizes)		
	8551250 approx. 500 x 12 x 25 mm (body sizes)		
	8551403 approx. 700 x 12 x 25 mm (body sizes)		
	Height of bristles 10 mm 8550104 approx. 195 x 12 x 25 mm (body sizes)		
	8550101 approx. 395 x 12 x 25 mm (body sizes)		
	8551252 approx. 500 x 12 x 25 mm (body sizes)		
	8551404 approx. 700 x 12 x 25 mm (body sizes)		
	Besatzhöhe 15 mm 8550154 approx. 195 x 12 x 25 mm (body sizes)		
	8550151 approx. 395 x 12 x 25 mm (body sizes)		
	8550251 approx. 500 x 12 x 25 mm (body sizes)		
	8551405 approx. 700 x 12 x 25 mm (body sizes)		
PPS bristles 	SEALING JAW BRUSHES PPS bristles 0,4 smooth Body PP		
	Height of bristles 5 mm 8551053 approx. 395 x 12 x 25 mm (body sizes)		
	8551251 approx. 500 x 12 x 25 mm (body sizes)		
	Height of bristles 10 mm 8551104 approx. 395 x 12 x 25 mm (body sizes)		
	8551256 approx. 500 x 12 x 25 mm (body sizes)		
	Height of bristles 15 mm 8551154 approx. 395 x 12 x 25 mm (body sizes)		
	8551257 approx. 500 x 12 x 25 mm (body sizes)		




Heat resistances

Steel wire	approx. 300°C
Brass wire	approx. 170°C
Bronze wire	approx. 170°C
Stainless steel wire	approx. 450°C
PPS-bristles (Polyphenylene sulfide)	approx. 200°C
PEEK-bristles (Polyetheretherketone)	approx. 250°C
Brush body PP (Polypropylene)	approx. 130°C





Hand brushes and food brushes

		ex-stock	delivery time on request
 <p>extended front bristles</p>	WASHING BRUSH hard 8015063-(Color) approx. 210 x 70 mm Polyester PBT 0,50 	 	 
	medium-hard 8015064-(Color) approx. 210 x 70 mm Polyester PBT 0,30 	 	
	hard, extended front bristles 8015065-(Color) approx. 210 x 70 mm Polyester PBT 0,50 	 	 
	CHOPPING BLOCK BRUSH extra hard 8098834-W approx. 185 x 80 mm VA flat steel 	 	

		ex-stock	delivery time on request
	SCRUBBING BRUSH hard 8054153-(Color) approx. 210 x 65 mm Polyester PBT 0,50	 	
	   		
	DOUBLE TIP HAND BRUSH medium-hard 8015067-(Color) approx. 180 x 60 mm Polyester PBT 0,30	 	
	   		
	ROUND HEAD BRUSH medium-hard 8015062-(Color) approx. 180 x 60 mm Polyester PBT 0,50	 	 
	   		
	ROUND HEAD BRUSH medium-hard 8054134-(Color) approx. Ø 125 mm Polyester PBT 0,30	 	 
	   		
	ROUND HEAD BRUSH hard 8054154-(Color) approx. Ø 125 mm Polyester PBT 0,50	 	
	   		



Niebling product information


Extended bristles increase efficiency for cleaning corner and hard-to-reach spots.



		ex-stock	delivery time on request
	COMBINED HAND BRUSH 2-in-1-Bristles 8560030 Polyester 0,40 gelb / approx. 125 x 50 mm 0,80 grün	 	
	    		
	NAIL BRUSH hard 8015060-(Color) approx. 110 x 45 mm Polyester PBT 0,30	   	   
	   		
	extra hard 8015061-(Color) approx. 110 x 45 mm Polyester PBT 0,50	     	 
	   		
	FLOUR BROOM extra soft 8052126-(Color) approx. 300 x 20 mm Polyester PBT 0,20	     	
	   		
	BREAD BRUSH extra soft 8051126-(Color) approx. 410 x 55 mm Polyester PBT 0,20	    	 
	   		



In addition to or as an
alternative to cleaning
pads, we recommend
micro fibre cleaning
cloth certified to the food
industry. See page 59!






PASTRY BRUSH

soft

8581030-(Color)
approx. 215 x 30 mm Polyester PBT 0,20

8581050-(Color)
approx. 215 x 50 mm Polyester PBT 0,20

8581070-(Color)
approx. 215 x 70 mm Polyester PBT 0,20




medium-hard

8582030-(Color)
approx. 215 x 30 mm Polyester PBT 0,30

8582050-(Color)
approx. 215 x 50 mm Polyester PBT 0,30

8582070-(Color)
approx. 215 x 70 mm Polyester PBT 0,30




hard

8583030-(Color)
approx. 215 x 30 mm Polyester PBT 0,50

8583050-(Color)
approx. 215 x 50 mm Polyester PBT 0,50

8583070-(Color)
approx. 215 x 70 mm Polyester PBT 0,50




PASTRY BRUSHG

soft


8580050-(Color)
approx. 400 x 25 mm Polyester PBT 0,20

8580040-(Color)
approx. 400 x 60 mm Polyester PBT 0,20



hard


8583060-(Color)
approx. 400 x 60 mm Polyester PBT 0,50



soft, angled


8580020-(Color)
approx. 395 x 25 mm Polyester PBT 0,20

8580010-(Color)
approx. 395 x 60 mm Polyester PBT 0,20



hard, angled


8583160-(Color)
approx. 395 x 60 mm Polyester PBT 0,50



ex-stock

delivery time
on request






Glassware brushes

		ex-stock	delivery time on request
	JUG BRUSH soft, cylindrical cut 8553031-(Color) approx. Ø 80 x 390 mm Polyester PBT 0,30	 1	 50
	  130 		
	MUG BRUSH soft, cylindrical cut 8553030-(Color) approx. Ø 100 x 410 mm Polyester PBT 0,30	 1	 50
	  130 		
	WHEAT BEER GLASS BRUSH medium-hard 8059606 approx. Ø 82/60 x 360 mm Polyamid PA	 5	
	  120		






















		ex-stock	delivery time on request
	GLASSWARE BRUSH SMALL medium-hard		
	8059607 approx. Ø 70 x 360 mm Polyamid PA		
	 		
	GLASSWARE BRUSH LARGE medium-hard		
	8059608 approx. Ø 82 x 360 mm Polyamid PA		
	 		
	MUG BRUSH medium-hard		
	8059605 approx. Ø 100 x 360 mm Polyamid PA		
	 		



Please also see other
traditional glassware
cleaning products
on page 70.



Tube brushes

	ex-stock	delivery time on request
	TUBE BRUSH WITH SEMI-CIRCULAR HEAD stainless steel wire, white plastic handle 	
	8010713-(Color) approx. Ø 55 x 450 mm Polyester PBT 0,30   	
	8010714-(Color) approx. Ø 65 x 500 mm Polyester PBT 0,30 	
	NOZZLE BRUSH Stainless steel wire with eyelet 	
	8570370-T approx. Ø 3 x 400 mm PA 0,08 transp. 	
	8570371-T approx. Ø 5 x 400 mm PA 0,10 transp. 	
	Stainless steel wire, with eyelet and cap	
	8570372-T approx. Ø 8 x 400 mm PA 0,15 transp. 	
	8570373-T approx. Ø 10 x 400 mm PA 0,20 transp. 	
	8570374-T approx. Ø 12 x 400 mm PA 0,20 transp. 	
	8570375-T approx. Ø 15 x 400 mm PA 0,20 transp. 	
	8570376-T approx. Ø 18 x 400 mm PA 0,25 transp. 	
	8570379-T approx. Ø 20 x 400 mm PA 0,30 transp. 	
  		



TUBE BRUSH „S“
stainless steel wire,
handle color like bristles

8010730-(Color)
approx. Ø 5 x 300 mm Polyester PBT 0,15

8010735-(Color)
approx. Ø 8 x 300 mm Polyester PBT 0,20



ex-stock

delivery time
on request



8010740-(Color)
approx. Ø 10 x 300 mm Polyester PBT 0,20

8010742-(Color)
approx. Ø 12 x 300 mm Polyester PBT 0,20


8010745-(Color)
approx. Ø 15 x 300 mm Polyester PBT 0,20



8510750-(Color)
approx. Ø 20 x 300 mm Polyester PBT 0,30

8510755-(Color)
approx. Ø 25 x 300 mm Polyester PBT 0,30

8510760-(Color)
approx. Ø 30 x 300 mm Polyester PBT 0,30



8510770-(Color)
approx. Ø 40 x 300 mm Polyester PBT 0,50

8510780-(Color)
approx. Ø 50 x 300 mm Polyester PBT 0,50



TUBE BRUSH „M“
stainless steel wire,
handle color like bristles

8010750-(Color)
approx. Ø 10 x 500 mm Polyester PBT 0,20

8010752-(Color)
approx. Ø 20 x 500 mm Polyester PBT 0,30

8010754-(Color)
approx. Ø 30 x 500 mm Polyester PBT 0,30


8010756-(Color)
approx. Ø 40 x 500 mm Polyester PBT 0,30





















































8010758-(Color)
approx. Ø 50 x 500 mm Polyester PBT 0,50

8010759-(Color)
approx. Ø 60 x 500 mm Polyester PBT 0,50

























8010762-(Color)
approx. Ø 80 x 500 mm Polyester PBT 0,50

8010764-(Color)
approx. Ø 100 x 500 mm Polyester PBT 0,50



















	ex-stock	delivery time on request	
	TUBE BRUSH „L“ stainless steel wire, handle color like bristles		
	8520750-(Color) approx. Ø 10 x 850 mm Polyester PBT 0,20		
	8520752-(Color) approx. Ø 20 x 850 mm Polyester PBT 0,30		
	8520754-(Color) approx. Ø 30 x 850 mm Polyester PBT 0,30		
	8520756-(Color) approx. Ø 40 x 850 mm Polyester PBT 0,30		
	8520758-(Color) approx. Ø 50 x 850 mm Polyester PBT 0,50		
	8520759-(Color) approx. Ø 60 x 850 mm Polyester PBT 0,50		
	8520762-(Color) approx. Ø 80 x 850 mm Polyester PBT 0,50		
	8520764-(Color) approx. Ø 100 x 850 mm Polyester PBT 0,50		
	  		
	TUBE BRUSH „M6“ stainless steel wire, m6-thread		
	8577710-(Color) approx. Ø 10 x 160 mm Polyester PBT 0,20		
	8010771-(Color) approx. Ø 12 x 160 mm Polyester PBT 0,20		
	8577715-(Color) approx. Ø 15 x 160 mm Polyester PBT 0,20		
	8010772-(Color) approx. Ø 20 x 160 mm Polyester PBT 0,30		
	8577725-(Color) approx. Ø 25 x 160 mm Polyester PBT 0,30		
	8577730-(Color) approx. Ø 30 x 160 mm Polyester PBT 0,30		
	8010774-(Color) approx. Ø 40 x 160 mm Polyester PBT 0,30		
	8577750-(Color) approx. Ø 50 x 160 mm Polyester PBT 0,50		
	8010776-(Color) approx. Ø 60 x 160 mm Polyester PBT 0,50		
	8577780-(Color) approx. Ø 80 x 160 mm Polyester PBT 0,50		
	8577100-(Color) approx. Ø 100 x 160 mm Polyester PBT 0,50		
	  		
	FLEXIBLE HANDLE „M6“		
	8010780 approx. 1500 x 4,6 mm stainless steel, eylet		
	8010781 approx. 3000 x 4,6 mm stainless steel, eylet		
	8010784 approx. 1500 x 6,5 mm plastic with handle		
	Extension, inner- / outer thread		
	8010782 approx. 1000 x 4,6 mm stainless steel		
8010785 approx. 1500 x 6,5 mm plastic			

Scrapers, spatulas, hammers and pads

		ex-stock	delivery time on request
	SCRAPER SCHLESINGER STANDARD with hole, beveled edge	 20	 20
	① 8081910-(Color) approx. 146 x 98 x 1,65 mm Polypropylene		
	without hole, beveled edge		
	② 8081911-(Color) approx. 146 x 98 x 1,65 mm Polypropylene  120		
	SCRAPER SCHLESINGER SICKLE SHAPE with hole, beveled edge	 20	 20
	③ 8081915-(Color) approx. 160 x 125 x 1,65 mm Polypropylene		
	without hole, beveled edge		
	④ 8081916-(Color) approx. 160 x 125 x 1,65 mm Polypropylene  120		
	SCRAPER SCHLESINGER TRAPEZOIDAL SHAPE with hole, straight edge	 10	 10
	⑤ 8130041-(Color) approx. 230 x 118 x 2,0 mm Polypropylene		
	without hole, straight edge		
	⑥ 8130040-(Color) approx. 230 x 118 x 2,0 mm Polypropylene  80  -30		

		ex-stock	delivery time on request
	SPATULA – PP with 3 working sides 8081900-(Color) approx. 200 x 125 mm Polypropylene 	 	
	SPATULA – PP with 2 working sides 8082900-(Color) approx. 100 x 240 mm Polypropylene 	 	
	SPATULA – PP ① with hanging hole 8082904-(Color) approx. 75 x 250 mm Polypropylene 8015109-(Color) approx. 110 x 250 mm Polypropylene 	 	
	② without hanging hole 8130010-(Color) approx. 75 x 250 mm Polypropylene 8130020-(Color) approx. 100 x 250 mm Polypropylene 	 	
	SPATULA – NYLON extra heat-resistant, with hanging hole ① 8082910-S approx. 75 x 250 mm Nylon	 	
	extra heat-resistant, without hanging hole ② 8130120-S approx. 100 x 250 mm Nylon 		

		ex-stock	delivery time on request
	PLASTIC HAMMER		
	8590070-W approx. Ø 70 x 295 mm approx. 520 g, Polyethylen		
	8590080-W approx. Ø 80 x 315 mm approx. 650 g, Polyethylen		
			
	SPATULA – VA SOFT		
	8088041-(Color) approx. 210 x 40 mm stainless steel blade		
	8088081-(Color) approx. 230 x 80 mm stainless steel blade		
	8088101-(Color) approx. 230 x 100 mm stainless steel blade		
			
	SPATULA – VA HARD		
	8088040-(Color) approx. 210 x 40 mm stainless steel blade		
	8088060-(Color) approx. 210 x 60 mm stainless steel blade		
	8088080-(Color) approx. 230 x 80 mm stainless steel blade		
	8088100-(Color) approx. 230 x 100 mm stainless steel blade		
	8088120-(Color) approx. 230 x 120 mm stainless steel blade		
			



We also offer detectable
spatulas and scrapers.
Just order the latest
Detect catalogue now:

Phone +49 (0) 9843 9894-0
sales@niebling.com



niebling.com































	ex-stock	delivery time on request
	HAND-PAD HOLDER folding system for optimal pad grip 8057101-(Color) approx. 230 x 100 mm	 
		 
	CLEANING PADS	
	8015123 - white approx. 250 x 115 x 20 mm very soft – for cleaning and polishing sensitive surfaces, without abrasives	
	8015121 - beige approx. 250 x 115 x 20 mm soft – for gently cleaning surfaces made from plastic etc., without abrasives	
	8015126 - red approx. 250 x 115 x 20 mm medium-hard – for scrubbing tanks and sink areas, without abrasives	
	8015124 - blue approx. 250 x 115 x 20 mm medium-hard – for cleaning tiled areas, with abrasives	
	8015122 - green approx. 250 x 115 x 20 mm hard – for maintenance cleaning – e.g. wet scrubbing, with abrasives	
	8015127 - brown approx. 250 x 115 x 20 mm very hard – for dry or wet basic cleaning, with abrasives	
	8015125 - black approx. 250 x 115 x 20 mm very hard – for intensive basic cleaning, e.g. in case of excessive dirt, with abrasives	
		





Niebling product information

One piece moulded provide proven, robust work tools, light weight, easily cleaned, non abrasive and rot proof.

Shovels, forks and buckets

		ex-stock	delivery time on request
	HAND SHOVELS without hanging hole		
	8120010-(Color) approx. 77 x 107 x 207 mm Polypropylene		
	8120020-(Color) approx. 110 x 150 x 250 mm Polypropylene		
	8120030-(Color) approx. 138 x 187 x 310 mm Polypropylene		
	8120040-(Color) approx. 167 x 230 x 355 mm Polypropylene		
			
	HAND SHOVELS with hanging hole		
	8015105-(Color) approx. 100 x 260 mm Polypropylene		
	8015106-(Color) approx. 138 x 310 mm Polypropylene		
	8015107-(Color) approx. 160 x 360 mm Polypropylene		
			
	DUSTPAN XL with hanging hole for high weight loading		
	8080305-(Color) approx. 270 x 320 x 540 mm Polypropylene		
			

		ex-stock	delivery time on request
	DUST PAN extra strong 8080301-(Color) approx. 300 x 310 mm Polypropylene 	 	 
	DUSTPANS FOR SET suitable for our Banister brushes, extra strong 8123000-(Color) approx. 335 x 300 mm Polypropylene 	 	 
	Brushes for sets on page 27.		
	PITCHER SHOVEL 2 Liter 8020061-(Color) approx. 175 x 190 x 150 mm Polypropylene 	 	 
	MEASUREING CUP 2 Liter 8020064-(Color) approx. 175 x 240 x 150 mm Polypropylene 	 	 
	ROUND LADDLE 2 Liter 8120060-(Color) Polypropylene 	 	 

		ex-stock	delivery time on request
	ONE-PIECE SHOVEL short handle		
	① 8014103-(Color) approx. 270 x 340 x 1120 mm Polypropylene		
	8014104-(Color) approx. 330 x 380 x 1120 mm Polypropylene		
	long handle 8015103-(Color) approx. 270 x 340 x 1330 mm Polypropylene		
	② 8015104-(Color) approx. 330 x 380 x 1330 mm Polypropylene		
			
	SHOVEL glass fibre handle,		
	Stainless steel blade 8114001-(Color) approx. 400 x 330 x 1650mm		
	Aluminium blade 8114000-(Color) approx. 400 x 330 x 1650mm		



Conductive / Antistatic

Avoid sparks from electrostatic charges to protect workers and your product!















- Brooms and brushes
- Scapers and spatulas
- Shovels and buckets
- antistatic wipes

Niebling ESD - for more information, please contact our sales team:

sales@niebling.com











		ex-stock	delivery time on request
	FORK		
	8015102-W approx. 330 x 330 x 1130 mm Polypropylene / Polycarbonat		
			
	UNIRAKE		
	8140015-(Color) Glass fibre / Polypropylene 260 x 210 x 1770 mm		
			
	UNIFORK long „D“-handle, extra strong and solid, round edges		
	8140136-(Color) approx. 270 x 130 x 1395 mm Polypropylene		
			




























Niebling product information: Buckets

- Large 15 Ltr. and 9 Ltr. Capacity. Inside graduations in Litres and UK/US Gallons
- Molded in food grade polypropylene
- Special designed pouring lip, heavy duty rim and storage function
- Hand-grip on back of bucket for easy pouring - big enough for gloved hands and high enough off floor to avoid scraping knuckles
- Strong, comfortable polypropylene handle
- Easy to clean – smooth surfaces, no internal or external sharp angles

		ex-stock	delivery time on request
	DUST PAN WITH HANDLE extra strong, with locking function (handle not within the scope of delivery) 8080201-(Color) approx. 300 x 310 x 125 mm Polypropylene 	 	 
	HANDLE FOR DUST PAN Aluminium 8029802-(Color) Stiellänge approx. 800 mm 	 	 
	1 CLIP FOR DUST PAN to lock handles safely, for Ø approx. 22 - 30 mm 8590028-(Color) Polypropylene 	 	 
	DUST PAN WITH FLEXIBLE HANDLE extra strong 8080205-(Color) approx. 300 x 310 x 125 mm Polypropylene 		 
	BUCKET – EXTRA STRONG with handle and holder, stackable, compatible with holder systems, large measuring scale in liters 8080101-(Color) approx. 15 Liter Polypropylene 8080102-(Color) approx. 9 Liter Polypropylene 	  	  
	LID FOR BUCKET extra strong, tight fit, easily removable 8080111-(Color) für 15L Eimer Polypropylene 8080112-(Color) für 9L Eimer Polypropylene 	  	  

Holders for Niebling Shadowboard 5S

		ex-stock	delivery time on request
	WALL RAILS including screws, dowels and end caps		
	8015156-(Color) approx. 300 mm Aluminium		
	8015154-(Color) approx. 500 mm Aluminium		
	8015153-(Color) approx. 900 mm Aluminium		
	HOLDERS with mounting rubber for wall rails		
	1 8015150-(Color) für Ø approx. 22-30 mm		
	2 8015151-(Color) für Ø approx. 30-38 mm		
	SUSPENSION HOOKS for wall rails, glass fibre reinforced		
	8080000-(Color) approx. 60 mm long		

	ex-stock	delivery time on request
 <p>Easy to clean by open edges.</p>  <p>Wall rail is not part of the scope of delivery!</p>	STORAGE TRAY VA for wall rail system, to about 3 kg load, folded from one piece, open edges, rounded folding 8701000-E approx. 300 x 150 mm Edelstahl other sizes upon request	 
	LABEL for wall rails 8080002-(Color) approx. 110 x 75 mm Polypropylene	 
	END CAPS spare part for wall rails 8590003-(Color) approx. 60 mm	 
	HOLDER STAINLESS STEEL 8591043-E für Ø approx. 22-30 mm, small 8591042-E für Ø approx. 30-38 mm, large	 
	RUBBER for hanger 8591501-(Color) für Ø approx. 30-38 mm, large 8591502-(Color) für Ø approx. 22-30 mm, small	 
	SUSPENSION HOOK VA 8591040-E approx. 55 mm long 8591041-E approx. 65 mm long, double hook	 

Spray guns, hoses, accessories and cleaning cloths



		ex-stock	delivery time on request
	SPRAY GUN standard, 1/2" connector, adjustable spray jet 8000405 pressure max. 8 bar 		 1
			
	SPRAY GUN PRO model, interior made of polyamide 8000410-(Color) pressure max. 12 bar 		 1
			
	SPRAY GUN PRO model, interior made of brass 8000411-(Color) pressure max. 24 bar 	 1 	 1 

	ex-stock	delivery time on request
	HOSE COUPLINGS 8005350 Connector 1/2" 8005353 Connector 1/2" with water stopp 8005351 Connector 3/4" 8005354 Connector 3/4" with water stopp 8005355 Connector 1/2" with water stopp, wivel joint, angle 45 °	    
	ACCESSORIES 8005361 Threaded plug for water tap 1/2"-3/4" 8005370 Fitting for spray gun 1/2"-3/4" 8005372 Fitting for spray gun 1/2" 8005365 connector 1/2"	   
	MICROFIBRE CLEANING CLOTH with food approval 8595200-(Color) approx. 600 x 400 mm, 12 cloths, perforated, on roll, length: 7,2 m	 
	PROFESSIONAL EVO PAD HACCP Pressure balls made of polyurethane, mesh structure with 4-fold higher cleaning power 8595150-(Color) 136 x 90 x 26 mm, 4 pc. in the package Polyester / Nylon 	 

Niebling product information



- ① Pro model with Polyamide interior, up to 12 bar pressure and 50°C. Light version.
- ② Pro model with Brass interior, up to 24 bar and 95°C.



TECHNICAL BRUSHES

Many decades we have been producing industrial brushes for almost every purpose.

Resulted from the long cooperation with our customers and resulting in a steady supply of new types of brushes. Due to constant expansion and regular modernization of our machinery, we can manufacture high quality and cost efficient.

Of course we can produce from the smallest series (one-off production) to large-scale quantities in series production.

These examples show only a fraction of our production possibilities.

On request we also manufacture in accordance with the provisions of HACCP and FDA.

Our company is certified according to FEIPP for professional hygiene brush goods (PHB). All raw materials used in the production meet the high requirements of the U.S. Food and Drug Administration (FDA).





Ask for our **catalogue**
Technical brushes at:
www.niebling.com





BARREL AND TANK BRUSHES, BARREL AND TANK SCRUBBERS



BARREL-/TUB BRUSH

with waist,
plastic body, approx. 75 x 210 mm



- | | |
|----|----------------------|
| 13 | Fibre mixture strong |
| 14 | Fibre |
| 15 | Gloss fibre |
| 17 | Palm fibre |
| 19 | PA 6.12 |



BARREL-/TUB BRUSH

wood body palm fibre, approx. 75 x 205 mm



- | | |
|----|---------------------------|
| 41 | PA 6.12 |
| 42 | Palm fibre |
| 43 | Fibre mixture strong |
| 44 | Fibre |
| 47 | Palm fibre with fibre rim |



TANK BRUSH

with rubberized back, approx. 80 x 200 mm



- | | |
|----|-------|
| 60 | PA |
| 64 | Fibre |



TUB SCRUBBER

crescent, 1 handle hole,
wood body, approx. 95 x 245 mm



- | | |
|----|-----------------------------|
| 71 | PA 6.12 |
| 73 | Fibre mixture strong |
| 74 | Fibre |
| 77 | Palm fibre with fibre-inlay |

SCRUBBERS AND WIRE SCRUBBERS



PAN SCRUBBER

2 handle holes,
wood body, approx. 70 x 235 mm



- | | |
|-----|--------------------------|
| 183 | rippleder bronze wire |
| 184 | straightened bronze wire |
| 185 | rippleder V2A-wire |



PAN SCRUBBER

half-moon shape, 1 handle hole,
slightly curved, 2 handle holes,
wood body, approx. 95 x 245 mm



- | | |
|-----|---|
| 189 | rippleder bronze wire with extended palm fibre bristles |
|-----|---|

HAND, WIRE AND HANDLE BRUSHES



CORNER BRUSH

bent,
wood body, approx. 400 mm long



- | | |
|------|---------------------|
| 226 | 2-rowed PA |
| 226K | 3-rowed PA |
| 227 | 2-rowed Palm fibre |
| 227K | 3-rowed Palm fibre |
| 229 | 3-rowed Gloss fibre |



HANDLE BRUSH

with extended front bristles,
wood body, approx. 38 x 320 mm long



- | | |
|-----|----------------------|
| 231 | PA 6.12 |
| 232 | Palm fibre |
| 233 | Fibre mixture strong |
| 234 | Fibre |
| 235 | Fibre-perlon mixture |



STIELBÜRSTEN



FITTING BRUSH

**3-rows, bent,
wood body**, approx. 400 mm long



236 PA

237 Gloss fibre



HANDLE BRUSH

**with extended front bristles,
wood body**, approx. 60 x 400 mm long



241 PA 6.12

242 Palm fibre

243 Fibre mixture strong

244 Fibre



HANDLE BRUSH

**curved, with extended front bristles,
plastic body**, approx. 55 x 400 mm long



245 PA 6.12

247 Palm fibre

248 Fibre mixture strong

249 Fibre



BOTTLE BOX BRUSH

**Extended front bristles,
wood body**, approx. 65 x 600 mm long



261 PA 6.12

262 Palm fibre

263 Fibre mixture strong

264 Fibre



HANDLE BARREL BRUSH

Extended front bristles,
wood body, approx. 75 x 600 mm long



271	PA 6.12
272	Palm fibre
273	Fibre mixture strong
274	Fibre




HANDLE BRUSH

short wide shape with extended front bristles,
plastic body, approx. 75 x 245 mm



281	PA 6.12
283	Fibre mixture strong
284	Fibre
287	Palm fibre



Ask for our **catalogue**
Technical brushes at:
www.niebling.com



PIPELINE, FILTER FRAME BRUSHES AND SPONGE RUBBER BALLS



PIPELINE BRUSH

Standard up to 1.2 m with bristle bundle on the frontside,
larger than 1.2 m with cap (any desired length available)

300/...	approx. Ø 30 mm, strong bristles
303/...	approx. Ø 35 mm, strong bristles
304/...	approx. Ø 40 mm, strong bristles
314/...	approx. Ø 40 mm, Palm fibre
315/...	approx. Ø 50 mm, Palm fibre
316/...	approx. Ø 60 mm, Palm fibre
317/...	approx. Ø 70 mm, Palm fibre
318/...	approx. Ø 80 mm, Palm fibre
319/...	approx. Ø 90 mm, Palm fibre
320/...	approx. Ø 100 mm, Palm fibre
323/...	approx. Ø 30 mm, PA
324/...	approx. Ø 40 mm, PA
325/...	approx. Ø 50 mm, PA
326/...	approx. Ø 60 mm, PA
327/...	approx. Ø 70 mm, PA
328/...	approx. Ø 80 mm, PA
329/...	approx. Ø 90 mm, PA
330/...	approx. Ø 100 mm, PA

The order no. results from the item no. and the length of the brush
(for example: 300/2 = Ø 30 mm, 2 m long)



FILTER FRAME BRUSH

360/B	approx. Ø 15 mm, approx. 350 mm long, bristle with plastic handle
360/P	approx. Ø 15 mm, approx. 350 mm long, PA with plastic handle



SPONGE RUBBER BALL

340/15	approx. Ø 15 mm, für 10 mm clear width
340/20	approx. Ø 20 mm, für 13 mm clear width
340/25	approx. Ø 25 mm, für 18 mm clear width
340/30	approx. Ø 30 mm, für 20 mm clear width
340/35	approx. Ø 35 mm, für 25 mm clear width
340/40	approx. Ø 40 mm, für 30 mm clear width
340/45	approx. Ø 45 mm, für 32 mm clear width
340/50	approx. Ø 50 mm, für 35 mm clear width
340/55	approx. Ø 55 mm, für 38 mm clear width
340/60	approx. Ø 60 mm, für 40 mm clear width
340/65	approx. Ø 65 mm, für 45 mm clear width
340/70	approx. Ø 70 mm, für 50 mm clear width

Any size available!

PIPELINE, HOSE AND NOZZLE BRUSHES



BARREL-TANK GORE BRUSH

approx. 300 mm long

361	approx. Ø 3/5 mm, conical, Goat hair
362	approx. Ø 5/8 mm, conical
363	approx. Ø 8/12 mm, conical
364	approx. Ø 12/20 mm, conical



BOTTLE FILLING MACHINE, TUBE, JET AND DROPPER BRUSHES

370	approx. Ø 3 mm, approx. 400 mm long, Goat hair
371	approx. Ø 5 mm, approx. 400 mm long
372	approx. Ø 8 mm, approx. 400 mm long
373	approx. Ø 10 mm, approx. 400 mm long
374	approx. Ø 12 mm, approx. 400 mm long
375	approx. Ø 15 mm, approx. 400 mm long
376	approx. Ø 18 mm, approx. 500 mm long
379	approx. Ø 20 mm, approx. 500 mm long

also available with PA, then item no. is e.g. 373/P



PIERCING VALVE, GAUGE GLASS AND AIR LINE BRUSH

with cap,
pure bristle, approx. 1,2 – 1,5 – 2,0 – 3,0 m long,
other dimensions on request

380/...	approx. Ø 12 mm
381/...	approx. Ø 15 mm
382/...	approx. Ø 18 mm
383/...	approx. Ø 24 mm

The order no. results from the item nr. and the length of the brush
(for example: 380/1,2 = Ø 12 mm, 1,2 m long)



KRAHN BRUSH

with wool bundle, conical

384	approx. Ø 15/25 mm, approx. 450 mm long
385	approx. Ø 20/35 mm, approx. 450 mm long



Tube brushes with
synthetic fibres
can be seen from
page 44 on!



HOLE, CUP AND HANDLE BRUSHES



HOLE BRUSH

with bristle bundle on the frontside, approx. 600 mm long, conical

387	approx. Ø 35/55 mm, Palm fibre
-----	--------------------------------

388	approx. Ø 35/55 mm, PA
-----	------------------------



HOLE BRUSH

with bristle bundle on the frontside, approx. 600 mm long

390	approx. Ø 30 mm, strong bristles
-----	----------------------------------

391	approx. Ø 30 mm, strong bristles without bristle bundle on the frontside
-----	--

392	approx. Ø 40 mm, Palm fibre
-----	-----------------------------

393	approx. Ø 50 mm, Palm fibre
-----	-----------------------------

394	approx. Ø 60 mm, Palm fibre
-----	-----------------------------

395	approx. Ø 80 mm, Palm fibre
-----	-----------------------------

396	approx. Ø 30 mm, PA without bristle bundle on the frontside
-----	---

397	approx. Ø 40 mm, PA
-----	---------------------

398	approx. Ø 50 mm, PA
-----	---------------------

399	approx. Ø 60 mm, PA
-----	---------------------

other diameter also available



CUP BRUSH

2-rowed,

wood body, approx. 280 mm long



610	PA
-----	----

615	Fibre 3-rowed
-----	---------------

LABORATORY AND BOTTLE BRUSHES



TEST-TUBE BRUSH

approx. 300 mm long

638	approx. Ø 25 mm, without bundles, with cap, "valve brush"
640	approx. Ø 8 mm, without bundles
641	approx. Ø 18 mm, for keg-barrels

642/15	approx. Ø 15 mm, with wool bundle on the frontside
642/20	approx. Ø 20 mm, with wool bundle on the frontside
642/25	approx. Ø 25 mm, with wool bundle on the frontside
642/30	approx. Ø 30 mm, with wool bundle on the frontside

644/10	approx. Ø 10 mm, with bristle bundle on the frontside
644/15	approx. Ø 15 mm, with bristle bundle on the frontside
644/20	approx. Ø 20 mm, with bristle bundle on the frontside
644/25	approx. Ø 25 mm, with bristle bundle on the frontside
644/30	approx. Ø 30 mm, with bristle bundle on the frontside



SAMPLE BOTTLES AND MEASURING CYLINDER BRUSH

with semi-circular head

647	sample bottle brush	approx. Ø 50/35 mm, approx. 290 mm long
648	sample bottle brush	approx. Ø 25 mm, approx. 290 mm long
649	Erlmeier-piston brush	approx. Ø 70/50 mm, approx. 420 mm long
650	sample bottle brush	approx. Ø 70 mm, approx. 600 mm long



Find pens and office equipment
in our latest catalogue
**„Detectable products +
cleaning systems“.**
Order now!

Phone +49 (0) 9843 9894-0
sales@niebling.com





IMHOFF FUNNEL, GLAS AND JUG BRUSHES



GLASS BRUSH

671 approx. Ø 65 mm, approx. 280 mm long, bristle for ¼ litre

672 approx. Ø 80 mm, approx. 350 mm long, PA for ½ litre

673 approx. Ø 80 mm, approx. 350 mm long, bristle for ½ litre



JUG, BEER MUG AND WHEATBEER GLASS BRUSH

674 approx. Ø 100 mm, approx. 460 mm long, PA, beer mugs

675 approx. Ø 100 mm, approx. 460 mm long, grey mixture, beer mugs

677 approx. Ø 100 mm, approx. 460 mm long, horsehair, beer mugs

678/G approx. Ø 80 mm, approx. 380 mm long, spec. grey mixture, ½ liter jugs

678/P approx. Ø 80 mm, approx. 380 mm long, PA, ½ liter jugs

678/R approx. Ø 80 mm, approx. 380 mm long, horsehair, ½ liter jugs

679 approx. Ø 60/85 mm, approx. 380 mm long, PA, wheatbeer glasses



GLASS FLUSH VALVES

3-piece, PA

686 approx. Ø 70 mm, normal glass, 180 mm high

687 approx. Ø 70 mm, wheatbeer glass, 240 mm high

690 approx. Ø 70 mm, replacement brush normal glass, 180 mm high

691 approx. Ø 70 mm, replacement brush wheatbeer glass, 240 mm high

SCRUBBING BRUSHES, BROOMS AND HAND BRUSHES



ROOM BROOM / HALL BROOM

with handle holder



- | | |
|-----|----------------------------------|
| 811 | approx. 400 mm long, Elaston red |
| 812 | approx. 500 mm long, Elaston red |
| 813 | approx. 600 mm long, Elaston red |
| 814 | approx. 800 mm long, Elaston red |

ROOM BROOM / HALL BROOM

with handle holder



- | | |
|-----|-----------------------------------|
| 805 | approx. 500 mm long, coco brown |
| 806 | approx. 600 mm long, coco brown |
| 807 | approx. 400 mm long, black arenga |
| 808 | approx. 500 mm long, black arenga |
| 809 | approx. 600 mm long, black arenga |
| 815 | approx. 800 mm long, black arenga |



HAND BRUSH

with handle, approx. 250 mm



- | | |
|-----|--------------|
| 950 | horsehair |
| 952 | coco brown |
| 954 | black arenga |

BROOMS AND HANDLES



HANDLE FOR BROOM AND SCRUBBER

- | | |
|-----|---|
| 835 | broom handle approx. Ø 24 mm, 1600 mm long |
| 837 | scrubber handle approx. Ø 28 mm, 1400 mm long |
| 838 | scrubber handle approx. Ø 28 mm, 1600 mm long |

PLASTIC HANDLE FOR BROOM AND SCRUBBER

- | | |
|------|--|
| 839K | suitable for tank scrubber
approx. Ø 32 mm, 1500 mm long
plastic body with handle hole, item no. 101-107 |
| 839L | suitable for hall and tank scrubber
approx. Ø 32 mm, 1500 mm long
plastic body, item no. 795-798 |



CAR WASHING BRUSHES



HANDLE WASH BRUSH

**bent,
wood body** approx. 55 x 520 mm



890 Fibre

892 PA, slotted fibre



TRUCK AND OMNIBUS WASH BRUSH

with replaceable brush



905 horsehair

extension tube with handle

909/150 approx. 1500 mm long

909/200 approx. 2000 mm long



Other products
for wet cleaning
can be found from
page 10 und 16.

LABELLING AND OTHER MACHINE BRUSHES

below, the most common types of brushes for machines are listed.
These are usually available from stock.



90 x 40 mm

with and without locking

91131/...A PA 0,40 / x height with locking

91132/...A PA 0,50 / x height with locking

91134/...A PA 0,60 / x height with locking

91135/...A PA 0,70 / x height with locking

91136/...A PA 0,80 / x height with locking

order-example:

brush 90 x 40 mm, with locking PA 0,60 and 70 mm cutting height
= item no. 91134/70A

All brushes with locking are provided with V2A-nuts.

Brushes without locking are available in the standard version without a nut.

Upon request, the V2A-nut can be attached.



More brushes on request:

sales@niebling.com

www.niebling-buersten.de/en

TECHNICAL INFORMATION ON HYGIENE REGULATIONS:

HACCP

Hazard Analysis and Critical Control Points are used as a guideline for practice and are parts of the EU regulation since 01/01/2006. HACCP regulates instructions of the food hygiene regulations for cleaning and cleanliness of the working places, the plants, the equipment and personal hygiene.

REGULATION

By Regulation (EC) No 853/2004 of the European Parliament and Council of 29.04.2004 regulations of EU Directive 93/43 EEC were maintained and implemented in national law with the Food Hygiene Regulations (LMHV). This describes the basic hygienic requirements for all food processing establishments and their suppliers. The implementation of the hygiene rules and HACCP concept is not possible without professional cleaning and maintenance equipment.

IFS

The International Food Standard was defined by representatives of the European food retail sector in 2003 and it serves to check and certify the systems to ensure food safety and quality and conformity in the production of food.

FDA

The Food and Drug Administration (FDA) is the lead food product monitoring authority in the United States of America. Its chief task is to protect public health in the entire USA. To do so, the FDA inspects the safety and efficacy of food and products used to produce. This goes for goods produced in the US as well as imported ones.

PHB

The European Association of brushes and brush manufacturer FEIBP has developed an aggravating Charter on 01.01.2002 for professional hygiene brushes "PHB". The logo may only be assigned to manufacturers of high quality brushes for the hygiene sector.

Therefore the buyer will receive even more safety to use cleaning systems that comply with all existing hygiene regulations.



BRISTLE MATERIALS:

POLYAMIDE (PA)

is used where high physical, thermal and mechanical resistance is required. Disadvantageous here is the water uptake (8-10%), the bad relation between dry and wet rigidity and intolerance against mineral acids and their solutions.

POLYESTER (PBT)

exceeds the value of PA in key areas, such as elasticity, the dynamic recovery, lower water absorption, good heat and chemical resistance.

POLYPROPYLENE (PP)

shows no absorption of water and has a high chemical resistance, but is prone to breaking and less heat resistant than PBT.



Synthetic bristles, as described above, can also be used with slotted bristle ends. They are thus soft, work on large scales and attract dust, lint and hair.

CAUTION: Slotted fibres are not PHB-compliant!

POLYPHENYLENE SULFIDE (PPS)

is an engineering plastic, commonly used today as a high-performance thermoplastic. PPS has not been found to dissolve in any solvent at temperatures below approximately 200 °C.

POLYETHERETHERKETONE (PEEK)

is a heat resistant material for bristles suitable for extreme applications. PEEK also is highly resistant against chemicals and show great hydrolytic stability. Continuous application up to 250°C is possible. The natural color of PEEK is brown.

SPONGE / RUBBER

has at least 95% closed cells in the field of food hygiene according to the specifications of the FEIBP. The water uptake of cellular rubber is less than 5%, and the uptake of rubber lips is below 1%..

MAINTENANCE AND STORAGE OF WORKING EQUIPMENT:

- Due to the high quality standard of the Niebling hygiene program, our products after use, are hygienically safe to be used again through thermal and fluid treatment.
- Hot air or steam treatments must be carried out without pressure load of the fill material.
- Cleaning equipment should be well ventilated and kept in hanging position without floor and wall contact.

EQUIPMENT SHOULD BE REPLACED,

- if the bristles are matted so that contaminants may lay down therein.
- if the bristles are discoloured, so that they differ according to the cleansing of their original color.
- if the bristles are worn, deformed or damaged through improper handling so that it thereby removes bristles.
- if the brush body is damaged by holes, breakages, severe abrasions or scratches, so bacteria can settle in it easily.
- If the handle is visibly damaged.
- if the legislature requires specified time periods for the exchange of equipment.
- if there is an obvious risk for the food.

SMALL MATERIAL SCIENCE TO TRADITIONAL BRUSHES PROGRAM: ONLY PARTIALLY HACCP-COMPLIAN

PALM FIBRE

color: black, country of origin: India

A powerful, but very elastic fibre. This material is suitable for pipe brushes, hand brushes and tank scrubbers. To clean wood, aluminium barrels and tanks, from outside and inside.

FIBRE MIXTURE STRONG

color: brown, country of origin: Mexico - India - Africa - America

A mixture of fibre (agave fibre) and palm fibre. This material is suitable for strong barrel brushes, refrigerated vessel scrubbers and floor scrubbers. To clean wooden barrels, wooden vats, tanks and Solnhofer panels. For all items which are to be cleaned with a strong brush and strong, but still elastic scrubbers.

FIBRE

color: yellowish, country of origin: Mexico - Central America

A very elastic, soft agave fibre. Brushes produced with this material are suitable for aluminium tanks and equipment, glass enamel tanks, etc. The fibre is highly water absorbing. High temperature resistance.

ELASTON

color: red, country of origin: Germany

Elaston is a long-lasting chemical fibre and is very good for brooms and road brooms. However, it is not heat resistant, which means that it changes its shape to hot water.

POLYAMIDE (PA)

color: transparent, country of origin: Germany

This chemical fibre is suitable for all brushes. The brushes are produced with polyamide for specific purpose in different thicknesses. PA has a long shelf life, doesn't absorb water and is not resistant to hot water.

POLYAMIDE (PA) 6.12

color: white, country of origin: Germany

Similar to PA but with better elasticity, resistant to hot water and alkalis. Very high quality and durable material with low abrasion characteristics.

STRONG BRISTLE

color: fawn, grey or black, origin: Far East

Pig bristles. This bristle type is characterised by good stability and is conditionally resistant to hot water and absorbs about 30% water. We use only the highest quality to ensure the stiffness of the bristles.

Depending on the use of individual brushes, mixtures of fibres and bristles tested for years are used by us to guarantee the high quality of the products.

niebling
Technische Bürsten GmbH



Niebling Technische Bürsten GmbH

Industriestraße 12
91593 Burgbernheim

Telefon +49 (0) 9843 9894-22
Telefax +49 (0) 9843 9894-772

www.niebling.com · sales@niebling.com